

SCHEDULE OF DRAWINGS

- 1 Title Sheet / Site plan
- 2 Foundation Plan/ Framing Details
- 3 Floor Plan
- 4 Elevations
- 5 Framing Plan
- 6 Framing Details
- 7 Mechanical Plan
- 8 Plumbing Plan
- 9 Electrical Plan and Schedule
- 10 Electrical Notes
- 11 General Structural Notes
- 12 Plumbing Isometric


GRADING NOTES:

- GRADING LIMITS SHALL BE STAKED PRIOR TO
- BLOPES AT 3H : IV OR LESS SHALL BE REVEGITATED.
- OLOPES GREATER THAN 3H : IV BUT LESS THAN
 15H : I V SHALL BE RIP-RAPPED AND INSTALLED BY
 APPROVED METHODS AS STATED IN DEVELOPMENT
 8TANDARD 9-04.3.3
- 4. 8LOPES GREATER THAN 15Y: IH SHALL REQUIRE MECHANICALLY STABILIZED EARTH OR RETAINING WALLS.
- 5 ALL UTILITY TRENCHES AND/OR LEACH FIELDS SHALL BE RESTORED AND REVEGETATED.
- TOP/BOTTOM OF CUT/FILL SLOPES MUST BE A MIN. OF 2'-O" FROM ANY PROPERTY LINE.
- APPROVED DUST CONTROL METHODS MUST BE MAINTAINED DURING GRADING AND UNTIL REVEGETATION/STABILIZATION HAS TAKEN PLACE.
- EXIBT. TREES W 4" OR GREATER TRUNK AND CACTI OUTSIDE CF THE GRADING LIMITS WILL BE PRESERVED IN THEIR ORIGINAL LOCATIONS, WITHIN THE GRADING LIMITS, TREES GREATER THAN I" AND CACTI WILL BE RELOCATED TO AREAS REGUIRING REVEGETATION, WHENEVER POSSIBLE.

CITY OF TUCSON


- AREAS DISTURBED BY CONSTRUCTION SHALL BE REVEGETATED AND/OR RIP-RAFFED IN ACCORDANCE W COT DEVELOPMENT STD. 9-0432 AND 33.
- IO. ALL PLANTS USED IN REVEGETATION MUST BE THE SAME AS THE NATIVE VEGETATION ON THE SITE OR ANY ADJACENT SITE PRIOR TO GRADING OR CLEARING.
- TREES USED FOR REVEGETATION SHALL BE A MIN. SIZE OF IS GAL.
 AND CACTI SHOULD BE LARGE SPECIMENS, NEW PLANTS WILL BE
 PLACED AT THE SAME VEGETATION DENSITY FOUND ON THE SITE
 PRIOR TO ANY CLEARING, GRUBBING OR GRADING.
- SEEDS FOR TREES, SHRUBS AND GRASSES WILL BE PLANTED WY A DENSITY ADEQUATE TO CONTROL EROSION AND INSTALLED BY APPROVED METHODS AS STATED IN DEVELOPMENT STANDARD 3-0432B2b.
- A TEMPORARY WATERING SYSTEM SHALL BE INSTALLED UNTIL SEYEGETATED MATERIALS ARE ESTABLISHED.
- 14. ALL PROPOSED SITE WORK, INCLUDING GRADING WILL COMPLY WITH THE DEVELOPMENT STANDARD 9-04.0.
- ALL EXPOSED EXTERIOR WALLS AND ROOFS OF STRUCTURES, RETAINING WALLS AND ACCESSORY STRUCTURES, EXCEPT SATELLITE DISHES, MUST BE EARTH TONE IN COLOR AND WILL BLEND WITH THE PREDOMINANT NATURAL COLORS FOUND ON THE LOT. SATELLITE DISHES MAY BE BLACK WHITE IS NOT PERMITTED.

DOTTON /



TOIZ IRC SCREEN HAP-1-A"

16.0"



SOUTH ELGNATION SCALE: 1/4"=10"

